



ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Issue date: 10/27/2016 Revision date: 9/9/2021 Supersedes version of: 1/11/2021 Version: 2.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : ICE MACHINE CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Scorpion Climate Ltd
Unit 3 Deanland Business Park Deanland Raod
BN27 3RP Golden Cross – East Sussex
T +44 (0)1825 872726
sales@scorpionclimate.com

1.4. Emergency telephone number

Emergency number : +44 (0)1825 872726

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1A H314
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

<tx:_GHS_PICTOS> (CLP) :



GHS05

Signal word (CLP) : Danger
Contains : ORTHOPHOSPHORIC ACID...100%, ACETIC ACID...100%
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.
H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a POISON CENTER or doctor.

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ORTHOPHOSPHORIC ACID...100% substance with a Community workplace exposure limit	CAS-No.: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6	≥ 25 – < 50	Skin Corr. 1A, H314
ACETIC ACID...100% substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	≥ 15 – < 25	Flam. Liq. 3, H226 Skin Corr. 1A, H314 Eye Dam. 1, H318
DIDECYLDIMETHYLAMMONIUM CHLORIDE	CAS-No.: 7173-51-5 EC-No.: 230-525-2 EC Index-No.: 612-131-00-6	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Specific concentration limits:

Name	Product identifier	Specific concentration limits
ORTHOPHOSPHORIC ACID...100%	CAS-No.: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6	(10 ≤C ≤ 25) Skin Irrit. 2, H315 (10 ≤C ≤ 25) Eye Irrit. 2, H319 (25 ≤C < 100) Skin Corr. 1B, H314
ACETIC ACID...100%	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	(10 ≤C ≤ 25) Skin Irrit. 2, H315 (10 ≤C ≤ 25) Eye Irrit. 2, H319 (25 ≤C ≤ 90) Skin Corr. 1B, H314 (90 ≤C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
-------------------------------------	--

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material. Absorb spillage to prevent material damage.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures : Remove contaminated clothes. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Storage conditions : Store Presents no particular risk to the environment, provided the disposal requirements (see section 13) and national or local regulations are complied with. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ACETIC ACID...100% (64-19-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Acetic acid
IOEL TWA	25 mg/m ³
IOEL STEL	50 mg/m ³
IOEL STEL [ppm]	20 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
Albania - Occupational Exposure Limits	
Local name	Acid acetik
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDËTIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
Austria - Occupational Exposure Limits	
Local name	Essigsäure
MAK (OEL TWA)	25 mg/m ³
MAK (OEL TWA) [ppm]	10 ppm
MAK (OEL STEL)	50 mg/m ³ (8x 5(Mow) min)
MAK (OEL STEL) [ppm]	20 ppm (8x 5(Mow) min)
Regulatory reference	BGBl. II Nr. 238/2018
Belgium - Occupational Exposure Limits	
Local name	Acide acétique # Azijnzuur
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	38 mg/m ³
OEL STEL [ppm]	15 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 19/11/2020
Bulgaria - Occupational Exposure Limits	
Local name	Оцетна киселина
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ACETIC ACID...100% (64-19-7)	
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.5 от 17 Януари 2020 г.)
Croatia - Occupational Exposure Limits	
Local name	Octena kiselina
GVI (OEL TWA) [1]	25 mg/m ³
GVI (OEL TWA) [2]	10 ppm
KGVI (OEL STEL)	50 mg/m ³
KGVI (OEL STEL) [ppm]	20 ppm
Remark	Direktiva: 2017/164/EU
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018)
Czech Republic - Occupational Exposure Limits	
Local name	Kyselina octová (Kyselina ethanová)
PEL (OEL TWA)	25 mg/m ³
PEL (OEL TWA) [ppm]	10 ppm
NPK-P (OEL Ceiling)	50 mg/m ³
NPK-P (OEL Ceiling) [ppm]	20 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), respektive kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 41/2020 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Eddikesyre (Ethansyre)
OEL TWA [1]	25 mg/m ³
OEL TWA [2]	10 ppm
Remark	E (betyder, at stoffet har en EF-grænseværdi)
Regulatory reference	BEK nr 290 af 13/02/2021
Estonia - Occupational Exposure Limits	
Local name	Etaanhape (äädikhape)
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	25 mg/m ³
OEL STEL [ppm]	10 ppm
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 17.10.2019, 2); Vabariigi Valitsuse 10. märtsi 2019. a määruse nr 84
Finland - Occupational Exposure Limits	
Local name	Etikkahappo
HTP (OEL TWA) [1]	13 mg/m ³

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ACETIC ACID...100% (64-19-7)	
HTP (OEL TWA) [2]	5 ppm
HTP (OEL STEL)	25 mg/m ³
HTP (OEL STEL) [ppm]	10 ppm
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
Local name	Acide acétique
VME (OEL TWA)	25 mg/m ³
VME (OEL TWA) [ppm]	10 ppm
VLE (OEL Ceiling/STEL)	50 mg/m ³
VLE (OEL Ceiling/STEL) [ppm]	20 ppm
Remark	Valeurs réglementaires indicatives
Regulatory reference	Circulaire du Ministère du travail (réf.: Arrête du 27 septembre 2019)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Essigsäure
AGW (OEL TWA) [1]	25 mg/m ³
AGW (OEL TWA) [2]	10 ppm
Peak exposure limitation factor	2(l)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
Gibraltar - Occupational Exposure Limits	
Local name	Acetic acid
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
Greece - Occupational Exposure Limits	
Local name	Οξικό οξύ
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	37 mg/m ³
OEL STEL [ppm]	15 ppm
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	ECETSAV
AK (OEL TWA)	25 mg/m ³

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ACETIC ACID...100% (64-19-7)	
CK (OEL STEL)	50 mg/m ³
Remark	m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármat); EU4 (2017/164 EU irányelvben közölt érték); N (Irritáló anyagok, egyszerű fojtógázok, csekély egészségkárosító hatással bíró anyagok)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Acetic acid
OEL TWA [1]	25 mg/m ³
OEL TWA [2]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020
Lithuania - Occupational Exposure Limits	
Local name	Acto rūgštis
IPRV (OEL TWA)	25 mg/m ³
IPRV (OEL TWA) [ppm]	10 ppm
TPRV (OEL STEL)	50 mg/m ³
TPRV (OEL STEL) [ppm]	20 ppm
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Acide acétique
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Regulatory reference	Mémorial A N° 684 de 2018 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Acetic acid
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.57 of 2018)
Netherlands - Occupational Exposure Limits	
Local name	Azijnzuur
TGG-8u (OEL TWA)	25 mg/m ³
TGG-15min (OEL STEL)	50 mg/m ³

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ACETIC ACID...100% (64-19-7)	
Regulatory reference	Arbeidsomstandighedenregeling 2021
Poland - Occupational Exposure Limits	
Local name	Kwas octowy
NDS (OEL TWA)	25 mg/m ³
NDSch (OEL STEL)	50 mg/m ³
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Ácido acético
OEL TWA [ppm]	10 ppm
OEL STEL [ppm]	15 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Acid acetic
OEL TWA	25 mg/m ³ (Pentru substanțe chimice în fază gazoasă sau de vapori, valoarea-limită este exprimată la 20°C și la 101,3 kPa)
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³ (Pentru substanțe chimice în fază gazoasă sau de vapori, valoarea-limită este exprimată la 20°C și la 101,3 kPa)
OEL STEL [ppm]	20 ppm
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Serbia - Occupational Exposure Limits	
Local name	сирћетна киселина
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
Remark	EU – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 91/322/EEЗ
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09 и 117/17)
Slovakia - Occupational Exposure Limits	
Local name	Kyselina octová (kyselina etánová)
NPHV (OEL TWA) [1]	25 mg/m ³
NPHV (OEL TWA) [2]	10 ppm
NPHV (OEL STEL)	50 mg/m ³
NPHV (OEL STEL) [ppm]	20 ppm
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	očetna kislina
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ACETIC ACID...100% (64-19-7)	
OEL STEL [ppm]	20 ppm
Remark	Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti), EU
Regulatory reference	Uradni list RS, št. 78/2019 z dne 20.12.2019
Spain - Occupational Exposure Limits	
Local name	Ácido acético
VLA-ED (OEL TWA) [1]	25 mg/m ³
VLA-ED (OEL TWA) [2]	10 ppm
VLA-EC (OEL STEL)	50 mg/m ³
VLA-EC (OEL STEL) [ppm]	20 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT
Sweden - Occupational Exposure Limits	
Local name	Ättiksyra
NGV (OEL TWA)	13 mg/m ³
NGV (OEL TWA) [ppm]	5 ppm
KTV (OEL STEL)	25 mg/m ³
KTV (OEL STEL) [ppm]	10 ppm
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Acetic acid
WEL TWA [1]	25 mg/m ³
WEL TWA [2]	10 ppm
WEL STEL	50 mg/m ³
WEL STEL [ppm]	20 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Ediksýra
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 1069/2018)
Norway - Occupational Exposure Limits	
Local name	Eddiksyre
Grenseverdi (OEL TWA) [1]	25 mg/m ³
Grenseverdi (OEL TWA) [2]	10 ppm
Korttidsverdi (OEL STEL)	50 mg/m ³
Korttidsverdi (OEL STEL) [ppm]	20 ppm

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ACETIC ACID...100% (64-19-7)	
Remark	A: Kjemikalier som skal betraktes som at de fremkaller allergi eller annen overfølsomhet i øynene eller luftveier, eller som skal betraktes som at de fremkaller allergi ved hudkontakt; E: EU har en veiledende grenseverdi for stoffet.
Regulatory reference	FOR-2020-04-06-695
Switzerland - Occupational Exposure Limits	
Local name	Acide acétique / Essigsäure
MAK (OEL TWA) [1]	25 mg/m ³
MAK (OEL TWA) [2]	10 ppm
KZGW (OEL STEL)	50 mg/m ³
KZGW (OEL STEL) [ppm]	20 ppm
Critical toxicity	VRS, Yeux / OAW, Auge
Notation	SS _c / SS _c
Remark	NIOSH, OSHA
Regulatory reference	www.suva.ch, 01.01.2021
ORTHOPHOSPHORIC ACID...100% (7664-38-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Orthophosphoric acid
IOEL TWA	1 mg/m ³
IOEL STEL	2 mg/m ³
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Albania - Occupational Exposure Limits	
Local name	Acid ortofosforik
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDËTIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
Austria - Occupational Exposure Limits	
Local name	Phosphorsäure
MAK (OEL TWA)	1 mg/m ³
MAK (OEL STEL)	2 mg/m ³ (4x 15(Miw) min)
Regulatory reference	BGBl. II Nr. 238/2018
Belgium - Occupational Exposure Limits	
Local name	Acide phosphorique # Fosforzuur
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 19/11/2020
Bulgaria - Occupational Exposure Limits	
Local name	Ортофосфорна киселина
OEL TWA	1 mg/m ³

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ORTHOPHOSPHORIC ACID...100% (7664-38-2)

OEL STEL	2 mg/m ³
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.5 от 17 Януари 2020 г.)

Croatia - Occupational Exposure Limits

Local name	Fosforna kiselina; ortofosforna kiselina
GVI (OEL TWA) [1]	1 mg/m ³
KGVI (OEL STEL)	2 mg/m ³
Remark	Direktiva: 2000/39/EZ
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018)

Czech Republic - Occupational Exposure Limits

Local name	Kyselina fosforečná
PEL (OEL TWA)	1 mg/m ³
PEL (OEL TWA) [ppm]	0.25 ppm
NPK-P (OEL Ceiling)	2 mg/m ³
NPK-P (OEL Ceiling) [ppm]	0.5 ppm
Remark	I - dráždívá sliznice (oči, dýchací cesty), respektive kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 41/2020 Sb.)

Denmark - Occupational Exposure Limits

Local name	Phosphorsyre
OEL TWA [1]	1 mg/m ³
Remark	E (betyder, at stoffet har en EF-grænseværdi)
Regulatory reference	BEK nr 290 af 13/02/2021

Estonia - Occupational Exposure Limits

Local name	Fosforhape (ortofosforhape)
OEL TWA	1 mg/m ³ aur
OEL STEL	2 mg/m ³ aur
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 17.10.2019, 2); Vabariigi Valitsuse 10. märtsi 2019. a määruse nr 84

Finland - Occupational Exposure Limits

Local name	Fosforihappo
HTP (OEL TWA) [1]	1 mg/m ³
HTP (OEL STEL)	2 mg/m ³
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)

France - Occupational Exposure Limits

Local name	Acide phosphorique
VME (OEL TWA)	1 mg/m ³
VME (OEL TWA) [ppm]	0.2 ppm

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ORTHOPHOSPHORIC ACID...100% (7664-38-2)	
VLE (OEL Ceiling/STEL)	2 mg/m ³
VLE (OEL Ceiling/STEL) [ppm]	0.5 ppm
Remark	Valeurs réglementaires indicatives
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Orthophosphorsäure
AGW (OEL TWA) [1]	2 mg/m ³ (E)
Peak exposure limitation factor	2(I)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); AGS - Ausschuss für Gefahrstoffe; Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
Gibraltar - Occupational Exposure Limits	
Local name	Orthophosphoric acid
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
Greece - Occupational Exposure Limits	
Local name	Ορθοφωσφορικό οξύ
OEL TWA	1 mg/m ³
OEL STEL	3 mg/m ³
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Italy - Occupational Exposure Limits	
Local name	Acido ortofosforico
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Lithuania - Occupational Exposure Limits	
Local name	Fosforo rūgštis, orto-
IPRV (OEL TWA)	1 mg/m ³
TPRV (OEL STEL)	2 mg/m ³
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Acide phosphorique
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ORTHOPHOSPHORIC ACID...100% (7664-38-2)	
Regulatory reference	Mémorial A N° 684 de 2018 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Orthophosphoric acid
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.57 of 2018)
Netherlands - Occupational Exposure Limits	
Local name	Fosforzuur
TGG-8u (OEL TWA)	1 mg/m ³
TGG-15min (OEL STEL)	2 mg/m ³
Regulatory reference	Arbeidsomstandighedenregeling 2021
Poland - Occupational Exposure Limits	
Local name	Kwas fosforowy (V)
NDS (OEL TWA)	1 mg/m ³
NDSch (OEL STEL)	2 mg/m ³
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Ácido fosfórico
OEL TWA	1 mg/m ³
OEL STEL	3 mg/m ³
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Acid ortofosforic
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Serbia - Occupational Exposure Limits	
Local name	фосфорна киселина; ортофосфорна киселина
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Remark	EU* – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2000/39/ЕЗ (прва листа)
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09 и 117/17)
Slovakia - Occupational Exposure Limits	
Local name	Kyselina fosforečná
NPHV (OEL TWA) [1]	1 mg/m ³
NPHV (OEL STEL)	2 mg/m ³
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ORTHOPHOSPHORIC ACID...100% (7664-38-2)

Slovenia - Occupational Exposure Limits

Local name	fosforjeva kislina
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Remark	Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti), EU
Regulatory reference	Uradni list RS, št. 78/2019 z dne 20.12.2019

Spain - Occupational Exposure Limits

Local name	Ácido ortofosfórico
VLA-ED (OEL TWA) [1]	1 mg/m ³
VLA-EC (OEL STEL)	2 mg/m ³
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT

Sweden - Occupational Exposure Limits

Local name	Fosforsyra
NGV (OEL TWA)	1 mg/m ³
KTV (OEL STEL)	2 mg/m ³
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)

United Kingdom - Occupational Exposure Limits

Local name	Orthophosphoric acid
WEL TWA [1]	1 mg/m ³
WEL STEL	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Iceland - Occupational Exposure Limits

Local name	Fosfórsýra
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)

Norway - Occupational Exposure Limits

Local name	Fosforsyre
Grenseverdi (OEL TWA) [1]	1 mg/m ³
Remark	E: EU har en veiledende grenseverdi for stoffet.
Regulatory reference	FOR-2020-04-06-695

Switzerland - Occupational Exposure Limits

Local name	Acide phosphorique / Phosphorsäure
------------	------------------------------------

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ORTHOPHOSPHORIC ACID...100% (7664-38-2)	
MAK (OEL TWA) [1]	2 mg/m ³ (i) / (e)
KZGW (OEL STEL)	4 mg/m ³ (i) / (e)
Critical toxicity	Poumons, VRS, Peau, Yeux / Lunge, OAW, Haut, Auge
Notation	SS _c / SS _c
Remark	NIOSH, OSHA
Regulatory reference	www.suva.ch, 01.01.2021

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: acidic.
Odour threshold	: No data available
pH	: <2
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.39
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ACETIC ACID...100% (64-19-7)

LD50 oral rat	3310 mg/kg bodyweight Animal: rat
LD50 oral	4960 mg/kg bodyweight Animal: mouse

DIDECYLDIMETHYLAMMONIUM CHLORIDE (7173-51-5)

LD50 oral rat	329 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

Skin corrosion/irritation	: Causes severe skin burns. pH: <2
Serious eye damage/irritation	: Causes serious eye damage. pH: <2
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

ACETIC ACID...100% (64-19-7)

NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male
----------------------------	--

ORTHOPHOSPHORIC ACID...100% (7664-38-2)

NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	---

Aspiration hazard	: Not classified
-------------------	------------------

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.
Not rapidly degradable	

ACETIC ACID...100% (64-19-7)

LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 300.82 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	> 300.82 mg/l Test organisms (species): Skeletonema costatum

ORTHOPHOSPHORIC ACID...100% (7664-38-2)

EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



DIDECYLDIMETHYLAMMONIUM CHLORIDE (7173-51-5)

LC50 - Fish [1]	0.97 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	0.49 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.057 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.029 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	0.047 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.021 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1760	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Transport document description				
UN 1760, III	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
III	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Not applicable	Not applicable	Not applicable	Not applicable

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ADR	IMDG	IATA	ADN	RID
No supplementary information available				

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 65	Eczematiform lesions of allergic mechanism

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland
Storage class (LK) : LK 8 - Corrosive materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds

ICE MACHINE CLEANER

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Abbreviations and acronyms:

CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.